Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2015/830

SAFETY DATA SHEET



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Product name	Tribol GR 4020/220-1 PD
Product code	468708-DE03
SDS no.	468708
Product type	Grease
1.2 Relevant identified uses of	the substance or mixture and uses advised against
Use of the substance/	Grease for industrial applications.
mixture	For specific application advice see appropriate Technical Data Sheet or consult our company representative.
1.3 Details of the supplier of th	e safety data sheet
Supplier	BP Europa SE
	Geschäftsbereich Industrieschmierstoffe
	Erkelenzer Straße 20 D-41179 Mönchengladbach
	Germany
	Telefon: +49 (0)2161 909-30
	Telefax: +49 (0)2161 909-392
E-mail address	MSDSadvice@bp.com

I.4 Emergency telephone number EMERGENCY Carechem: +44 (0) 1235 239 670 (24/7) TELEPHONE NUMBER

SECTION 2: Hazards identification

 2.1 Classification of the substance or mixture

 Product definition
 Mixture

 Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

 Not classified.

See sections 11 and 12 for more detailed information on health effects and symptoms and environmental hazards.

2.2 Label elements	
Signal word	No signal word.
Hazard statements	No known significant effects or critical hazards.
Precautionary statements	
Prevention	Not applicable.
Response	Not applicable.
Storage	Not applicable.
Disposal	Not applicable.
Supplemental label elements	Contains Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts and 5,5'-dithiodi-1,3, 4-thiadiazole-2(3H)-thione. May produce an allergic reaction. Safety data sheet available on request.
Special packaging requirement	<u>nts</u>
Containers to be fitted with child-resistant fastenings	Not applicable.
Tactile warning of danger	Not applicable.

2.3 Other hazards

Product name Tribol GR 4020/220-1 PD		Product code	468708-DE03	Page: 1/10	
Version 4.01	Date of issue 4 November 2016	Format	Germany	Language	ENGLISH
			(Germany)		

SECTION 2: Hazards identification

Other hazards which do not result in classification	Defatting to the skin. Note: High Pressure Applications Injections through the skin resulting from contact with the product at high pressure constitute a
	major medical emergency. See 'Notes to physician' under First-Aid Measures, Section 4 of this Safety Data Sheet.

SECTION 3: Composition/information on ingredients

Substance/mixture

Mixture

Highly refined mineral oil and additives. Thickening agent.

This product does not contain any hazardous ingredients at or above regulated thresholds.

SECTION 4: First aid measures			
4.1 Description of first aid me	easures		
Eye contact	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Check for and remove any contact lenses. Get medical attention.		
Skin contact	Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if irritation develops.		
Inhalation	If inhaled, remove to fresh air. Get medical attention if symptoms appear. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.		
Ingestion	Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.		
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training.		

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	Treatment should in general be symptomatic and directed to relieving any effects. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Note: High Pressure Applications Injections through the skin resulting from contact with the product at high pressure constitute a major medical emergency. Injuries may not appear serious at first but within a few hours tissue becomes swollen, discoloured and extremely painful with extensive subcutaneous necrosis. Surgical exploration should be undertaken without delay. Thorough and extensive debridement of the wound and underlying tissue is necessary to minimise tissue loss and prevent or limit permanent damage. Note that high pressure may force the product considerable distances along tissue planes.
--------------------	--

SECTION 5: Firefighting measures

5.1 Extinguishing media				
Suitable extinguishing media	In case of fire, use water fog, alcohol resistant foam, dry chemical or carbon dioxide extinguisher or spray.			
Unsuitable extinguishing media				
5.2 Special hazards arising fr	om the substance or mixture			
Hazards from the substance or mixture	In a fire or if heated, a pressure increase will occur and the container may burst.			
Hazardous combustion products	Combustion products may include the following: carbon oxides (CO, CO ₂) (carbon monoxide, carbon dioxide) metal oxide/oxides nitrogen oxides (NO, NO ₂ etc.) sulphur oxides (SO, SO ₂ , etc.)			

5.3 Advice for firefighters

Product name Tribol GR 4020/220-1 PD		Product code 468708-DE03		Page: 2/10	
Version 4.01	Date of issue 4 November 2016	Format	Germany	Language	ENGLISH
			(Germany)		

SECTION 5: Firefighting measures

Special precautions for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1 Personal precautions, prot	ective equipment and emergency procedures		
For non-emergency personnelNo action shall be taken involving any personal risk or without suitable training. Ev surrounding areas. Keep unnecessary and unprotected personnel from entering. I or walk through spilt material. Floors may be slippery; use care to avoid falling. Pu appropriate personal protective equipment.			
For emergency responders	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".		
6.2 Environmental precautions	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).		
6.3 Methods and material for c	ontainment and cleaning up		
Small spill	Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.		
Large spill	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. If emergency personnel are unavailable, contain spilt material. Suction or scoop the spill into appropriate disposal or recycling vessels, then cover spill area with oil absorbent. Dispose of via a licensed waste disposal contractor.		
6.4 Reference to other sections	See Section 1 for emergency contact information. See Section 5 for firefighting measures. See Section 8 for information on appropriate personal protective equipment. See Section 12 for environmental precautions. See Section 13 for additional waste treatment information.		

SECTION 7: Handling and storage

7.1 Precautions for safe hand	dling		
Protective measures	Put on appropriate personal protective equipment.		
Advice on general occupational hygiene by the stored and processed. Wash thoroughly after handling. Remove contaminated clothin protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.			
7.2 Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Keep away from heat and direct sunlight. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Store and use only in equipment/ containers designed for use with this product. Do not store in unlabelled containers.		
Germany - Storage code	11		
7.3 Specific end use(s)			
Decommondations	Cap parties 1.2 and Expedius approximation in annow if applicable		

Recommendations

See section 1.2 and Exposure scenarios in annex, if applicable.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

Product name	Tribol GR 4020/220-1 PD		Product code	468708-DE03	Page: 3/10
Version 4.01	Date of issue 4 November 2016	Format	Germany	Language	ENGLISH
			(Germany)		

SECTION 8: Exposure controls/personal protection

Recommended monitoring procedures	If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
Derived No Effect Level	
No DNELs/DMELs available.	
Predicted No Effect Concentra	ation
No PNECs available	
9.2 Expective controls	
8.2 Exposure controls Appropriate engineering	Provide exhaust ventilation or other engineering controls to keep the relevant airborne
controls	concentrations below their respective occupational exposure limits. All activities involving chemicals should be assessed for their risks to health, to ensure exposures are adequately controlled. Personal protective equipment should only be considered after other forms of control measures (e.g. engineering controls) have been suitably evaluated. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained. Your supplier of personal protective equipment should be consulted for advice on selection and appropriate standards. For further information contact your national organisation for standards. The final choice of protective equipment will depend upon a risk assessment. It is important to ensure that all items of personal protective equipment are compatible.
Individual protection measure	<u>8</u>
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. For protection against metal working fluids, respiratory protection that is classified as "resistant to oil" (class R) or oil proof (class P) should be selected where appropriate. Depending on the level of airborne contaminants, an air-purifying, half-mask respirator (with HEPA filter) including disposable (P- or R-series) (for oil mists less than 50mg/m3), or any powered, air-purifying respirator equipped with hood or helmet and HEPA filter (for oil mists less than 125 mg/m3). Where organic vapours are a potential hazard during metalworking operations, a combination particulate and organic vapour filter may be necessary. The correct choice of respiratory protection depends upon the chemicals being handled, the conditions of work and use, and the condition of the respiratory equipment. Safety procedures should be developed for each intended application. Respiratory protection equipment should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions.
Eye/face protection	Safety glasses with side shields.
Skin protection Hand protection	General Information:
-	Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. The correct choice of protective gloves depends upon the chemicals being handled, and the conditions of work and use. Most gloves provide protection for only a limited time before they must be discarded and replaced (even the best chemically resistant gloves will break down after repeated chemical exposures).
	Gloves should be chosen in consultation with the supplier / manufacturer and taking account of a full assessment of the working conditions.
	Recommended: Nitrile gloves. Breakthrough time:
	Breakthrough time data are generated by glove manufacturers under laboratory test conditions and represent how long a glove can be expected to provide effective permeation resistance. It is important when following breakthrough time recommendations that actual workplace conditions are taken into account. Always consult with your glove supplier for up-to-date technical information on breakthrough times for the recommended glove type. Our recommendations on the selection of gloves are as follows:
Product name Tribol GR 4020/22	20-1 PD Product code 468708-DE03 Page: 4/10
Version 4.01 Date of issue 4	November 2016 Format Germany Language ENGLISH (Germany)

SECTION 8: Exposure controls/personal protection

Continuous contact:

	Gloves with a minimum breakthrough time of 240 minutes, or >480 minutes if suitable gloves can be obtained. If suitable gloves are not available to offer that level of protection, gloves with shorter breakthrough times may be acceptable as long as appropriate glove maintenance and replacement regimes are determined and adhered to.
	Short-term / splash protection:
	Recommended breakthrough times as above. It is recognised that for short-term, transient exposures, gloves with shorter breakthrough time may commonly be used. Therefore, appropriate maintenance and replacement regimes must be determined and rigorously followed.
	Glove Thickness:
	For general applications, we recommend gloves with a thickness typically greater than 0.35 m
	It should be emphasised that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the exact composition of the glove material. Therefore, glove selection should also be base on consideration of the task requirements and knowledge of breakthrough times. Glove thickness may also vary depending on the glove manufacturer, the glove type and the glove model. Therefore, the manufacturers' technical data should always be taken into account to ensure selection of the most appropriate glove for the task.
	Note: Depending on the activity being conducted, gloves of varying thickness may be required for specific tasks. For example:
	• Thinner gloves (down to 0.1 mm or less) may be required where a high degree of manual dexterity is needed. However, these gloves are only likely to give short duration protection and would normally be just for single use applications, then disposed of.
	• Thicker gloves (up to 3 mm or more) may be required where there is a mechanical (as well as a chemical) risk i.e. where there is abrasion or puncture potential.
Skin and body	Use of protective clothing is good industrial practice. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Cotton or polyester/cotton overalls will only provide protection against light superficial
	contamination that will not soak through to the skin. Overalls should be laundered on a regula basis. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required.
Refer to standards:	Respiratory protection: EN 529 Gloves: EN 420, EN 374 Eye protection: EN 166
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

ECTION 9: Physical and chemical properties

9.1 Information on basic physical	and chemical properties				
<u>Appearance</u>					
Physical state	Grease				
Colour	Yellow.				
Odour	Not available.				
Odour threshold	Not available.				
рН	Not available.				
Melting point/freezing point	Not available.				
Initial boiling point and boiling range	Not available.				
Flash point	Open cup: 260°C (500°F)	[Estimated. Ba	ised on Lubricar	nts - Base Oils]	
Product name Tribol GR 4020/220-1	PD		Product code	468708-DE03	Page: 5/10
Version 4.01 Date of issue 4 Nov	vember 2016	Format	Germany	Language	ENGLISH

(Germany)

SECTION 9: Physical and chemical properties

—	
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.
Density	<1000 kg/m³ (<1 g/cm³) at 20°C
Solubility(ies)	insoluble in water.
Partition coefficient: n-octanol/ water	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidising properties	Not available.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity		
10.1 Reactivity	No specific test data available for this product. Refer to Conditions to avoid and Incompatible materials for additional information.	
10.2 Chemical stability	The product is stable.	
10.3 Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerisation will not occur.	
10.4 Conditions to avoid	No specific data.	
10.5 Incompatible materials	Reactive or incompatible with the following materials: oxidising materials.	
10.6 Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.	

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity estimates

	Route	ATE value				
Øral		96631.1 mg/kg				
nformation on likely outes of exposure	Routes of entry anticipated: De	ermal, Inhalation.				
Potential acute health effe	ects					
Inhalation	Exposure to decomposition pro delayed following exposure.	oducts may cause a health hazard. Serious effects may be				
Ingestion	No known significant effects or	No known significant effects or critical hazards.				
Skin contact	Defatting to the skin. May cause	Defatting to the skin. May cause skin dryness and irritation.				
Eye contact	No known significant effects or	No known significant effects or critical hazards.				
Symptoms related to the p	physical, chemical and toxicologica	al characteristics				
Inhalation	No specific data.					
Ingestion	No specific data.					
Skin contact	Adverse symptoms may include irritation dryness cracking	e the following:				
Eye contact	No specific data.					
Product name Tribol GR 402	20/220-1 PD	Product code 468708-DE03 Page: 6/10				
Version 4.01 Date of issu	e 4 November 2016	Format Germany Language ENGLISH (Germany)				

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2015/830

SECTION 11: Toxicological information

Delayed and immediate effe	ects as well as chronic effects from short and long-term exposure
Inhalation	Inhalation of oil mist or vapours at elevated temperatures may cause respiratory irritation.
Ingestion	Ingestion of large quantities may cause nausea and diarrhoea.
Skin contact	Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis.
Eye contact	Potential risk of transient stinging or redness if accidental eye contact occurs.
Potential chronic health eff	iects
General	No known significant effects or critical hazards.
Carcinogenicity	No known significant effects or critical hazards.
Mutagenicity	No known significant effects or critical hazards.
Developmental effects	No known significant effects or critical hazards.
Fertility effects	No known significant effects or critical hazards.

SECTION 12: Ecological information

	_		_					
1	2.	1	т	0	vi	0	it۸	
	<u> </u>			U	~	6		

Environmental hazards Not classified as dangerous

12.2 Persistence and degradability

Expected to be biodegradable.

12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	Not available.
Mobility	Non-volatile. Grease. insoluble in water.

12.5 Results of PBT and vPvB assessment

PBT	Not applicable.
vPvB	Not applicable.

12.6 Other adverse effects No known significant effects or critical hazards.

SECTION 13: Disposal considerations

lethods of disposal	Where possible, arrange for product to be recycled. Dispose of via an authorised person/ licensed waste disposal contractor in accordance with local regulations.
lazardous waste	Yes.
uropean waste catalog	ue (EWC)
uropean waste cataloc Waste code	Waste designation

However, deviation from the intended use and/or the presence of any potential contaminants may require an alternative waste disposal code to be assigned by the end user.

Packaging

Methods of disposal

Where possible, arrange for product to be recycled. Dispose of via an authorised person/ licensed waste disposal contractor in accordance with local regulations.

Waste code	European waste catalogue (EWC)
15 01 10*	packaging containing residues of or contaminated by hazardous substances
Special precautions	This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

ſ	Product name Tribol GR 4020/220-1 PD			Product code 468708-DE03			Page: 7/10
	Version 4.01	Date of issue 4 November 2016	Format	Germany		Language	ENGLISH
				(Germany)			

SECTION 14: Transport information **ADR/RID ADN** IMDG ΙΑΤΑ 14.1 UN number Not regulated. Not regulated. Not regulated. Not regulated. 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 No. No. No. No. **Environmental** hazards Additional information

14.6 Special precautions for Not available. user

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH) Annex XIV - List of substances subject to authorisation Substances of very high concern None of the components are listed. **Annex XVII - Restrictions** Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles **Other regulations REACH Status** The company, as identified in Section 1, sells this product in the EU in compliance with the current requirements of REACH. **United States inventory** All components are listed or exempted. (TSCA 8b) Australia inventory (AICS) All components are listed or exempted. **Canada inventory** At least one component is not listed in DSL but all such components are listed in NDSL. China inventory (IECSC) All components are listed or exempted. Japan inventory (ENCS) All components are listed or exempted. Korea inventory (KECI) All components are listed or exempted. **Philippines inventory** All components are listed or exempted. (PICCS) **Taiwan Chemical** All components are listed or exempted. Substances Inventory (TCSI) **National regulations** Hazard class for water 2 Appendix No. 4 (classified according VwVwS)

15.2 Chemical safety assessment

This product contains substances for which Chemical Safety Assessments are still required.

ſ	Product name Tribol GR 4020/220-1 PD		Product code	Page: 8/10		
	Version 4.01	Date of issue 4 November 2016	Format	Germany	Language	ENGLISH
				(Germany)		

SECTION 16: Other information

Abbreviations and acronyms	ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway				
	ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road				
	ATE = Acute Toxicity Estimate				
	BCF = Bioconcentration Factor				
	CAS = Chemical Abstracts Service				
	CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]				
	CSA = Chemical Safety Assessment				
	CSR = Chemical Safety Report				
	DMEL = Derived Minimal Effect Level				
	DNEL = Derived No Effect Level				
	EINECS = European Inventory of Existing Commercial chemical Substances ES = Exposure Scenario				
	EUH statement = CLP-specific Hazard statement				
	EWC = European Waste Catalogue				
	GHS = Globally Harmonized System of Classification and Labelling of Chemicals				
	IATA = International Air Transport Association				
	IBC = Intermediate Bulk Container				
	IMDG = International Maritime Dangerous Goods				
	LogPow = logarithm of the octanol/water partition coefficient				
	MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)				
	OECD = Organisation for Economic Co-operation and Development				
	PBT = Persistent, Bioaccumulative and Toxic				
	PNEC = Predicted No Effect Concentration				
	RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail				
	RRN = REACH Registration Number				
	SADT = Self-Accelerating Decomposition Temperature				
	SVHC = Substances of Very High Concern				
	STOT-RE = Specific Target Organ Toxicity - Repeated Exposure				
	STOT-SE = Specific Target Organ Toxicity - Single Exposure				
	TWA = Time weighted average UN = United Nations				
	UVCB = Complex hydrocarbon substance				
	VOC = Volatile Organic Compound				
	vPvB = Very Persistent and Very Bioaccumulative				
	Varies = may contain one or more of the following 101316-69-2 / RRN 01-2119486948-13,				
	101316-70-5, 101316-71-6, 101316-72-7 / RRN 01-2119489969-06, 64741-88-4 / RRN				
	01-2119488706-23, 64741-89-5 / RRN 01-2119487067-30, 64741-95-3 / RRN				
	01-2119487081-40, 64741-96-4/ RRN 01-2119483621-38, 64741-97-5 / RRN				
	01-2119480374-36, 64742-01-4 / RRN 01-2119488707-21, 64742-44-5 / RRN 01-2110085177 24, 64742 45 6, 64742 52 5 / PPN 01-2110467170 45, 64742 53 6 / PPN				
	01-2119985177-24, 64742-45-6, 64742-52-5 / RRN 01-2119467170-45, 64742-53-6 / RRN 01-2119480375-34, 64742-54-7 / RRN 01-2119484627-25, 64742-55-8 / RRN				
	01-2119487077-29, 64742-56-9 / RRN 01-2119480132-48, 64742-57-0 / RRN				
	01-2119489287-22, 64742-58-1, 64742-62-7 / RRN 01-2119480472-38, 64742-63-8,				
	64742-64-9, 64742-65-0 / RRN 01-2119471299-27, 64742-70-7 / RRN 01-2119487080-42,				
	72623-85-9 / RRN 01-2119555262-43, 72623-86-0 / RRN 01-2119474878-16, 72623-87-1 /				
	RRN 01-2119474889-13, 74869-22-0 / RRN 01-2119495601-36, 90669-74-2 / RRN				
	01-2119970171-43				
Full text of abbreviated H statements	Not applicable.				
Full text of classifications [CLP/GHS]	Not applicable.				
<u>History</u>					
Date of issue/ Date of revision	04/11/2016.				
Date of previous issue	20/09/2016.				
Prepared by	Product Stewardship				

✓ Indicates information that has changed from previously issued version.

Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from BP Group.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP

Product name	Product name Tribol GR 4020/220-1 PD			Product code 468708-DE03		
Version 4.01	Date of issue 4 November 2016	Format	Germany	Language	ENGLISH	
			(Germany)			

SECTION 16: Other information

Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the BP Group to ensure that this document is the most current available. Alteration of this document is strictly prohibited.