

Safety data sheet According to 1907/2006/EC (REACH), 2015/830/EU

Grease CAS 2 Plus

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING 1.1 Product identifier: Grease CAS 2 Plus Relevant identified uses of the substance or mixture and uses advised against: 1.2 Relevant uses: Lubricant (grease) Uses advised against: All uses not specified in this section or in section 7.3 1.3 Details of the supplier of the safety data sheet: Matrix Specialty Lubricants Typograaf 16 6921 VB Duiven - The Netherlands Phone .: +31316740850 lab@matrix-lubricants.com https://www.matrix-lubricants.com Emergency telephone number: +31316740850 1.4 SECTION 2: HAZARDS IDENTIFICATION ** 2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

The product is not classified as hazardous according to CLP Regulation (EC) No 1272/2008.

- 2.2 Label elements: CLP Regulation (EC) No 1272/2008: None
- 2.3 Other hazards: Product fails to meet PBT/vPvB criteria

** Changes with regards to the previous version

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS **

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Miscellaneous products

Components:

None of the substances contained in the mixture are above the values fixed in Annex II of Regulation (EC) No 1907/2006

** Changes with regards to the previous version

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

Consult a doctor in case of discomfort showing the SDS for the product.

By inhalation:

In case of symptoms, move the person affected into fresh air.

By skin contact:

In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety data Sheet

By eye contact:

Rinse with water until the product has been eliminated. In case of problems, consult a doctor showing the SDS for the product.



SECTION 4: FIRST AID MEASURES (continued)

By ingestion/aspiration:

In case of consumption in large quantities, it is recommended to seek medical assistance.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Product is non-flammable, with a low risk of fire due to the flammabliity characteristics of the product in normal conditions of storage, handling and use. In the case of the existence of sustained combustion as a result of improper handling, storage or use any type of extinguishing agent can be used (ABC Powder, water,...)

5.2 Special hazards arising from the substance or mixture:

Due to its non-flammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Due to its non-flammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.

C.- Technical recommendations to prevent ergonomic and toxicological risks



SECTION 7: HANDLING AND STORAGE (continued)

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is not necessary to take special measures to prevent environmental risks. For more information see subsection 6.2

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 5 °C Maximum Temp.: 30 °C

Maximum time: 60 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (EH40/2005 Workplace exposure limits):

Nuisance dust: Inhalable dust 10 mg/m3 // Respirable dust 4 mg/m3

DNEL (Workers):

Non-applicable

DNEL (General population):

Non-applicable

PNEC:

Non-applicable

8.2 Exposure controls:

A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Directive 89/686/EC. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.-Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420 and EN 374.

"As the product is a mixture of several substances, the resistance of the glove material can not be predicted in advance with total reliability and has therefore to be checked prior to the application"

D.- Ocular and facial protection



Safety data sheet According to 1907/2006/EC (REACH), 2015/830/EU

Grease CAS 2 Plus

Anti-silp work shoes CAT II ENISO 4007:2012 Use if there is a risk of splashing. E Body protection Precisional (inclusion) Replace before any evidence of deterioral For periods of prolonged exposure to the product for professional/inclusificit users CE recommended, in accordance with the regulations in ENISO 4007:2012 Replace before any evidence of deterioral For periods of prolonged exposure to the product for professional/inclusificit users CE recommended, in accordance with the regulations in ENISO 4007:2012 F Additional emergency measures ENISO 20347:2012 Replace before any evidence of deterioral For periods of prolonged exposure to the regulations in ENISO 20345 y ENI 3832-1 F Additional emergency measures It is not necessary to take additional emergency measures. Environmental exposure controls: In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product has the following characteristics: V.O.C. (supply): 0 % weight V.O.C. density at 20 °C: 0 kg/m³ (0 g/L) Average molecular weight: Non-applicable	TION 8: EXPOSURE	CONTROLS/PERSON	AL PROTEC	CTION (continued)		
Privation for potention Privation for potention Privation for potention Decoming the free is instruction with depondential set of potential set of pote	Pictogram	PPE	Labelling	CEN Standard	Remarks	
E Body protection E Body protection Work clothing CEN Standard Replace before any evidence of deteriors propriods of protection proteined induced to profession/induction uses CE recommended. In accordance with the source of the profession of induction uses CE recommended. In accordance with the source of deteriors for periods of protection profession of induction uses CE recommended. In accordance with the regulations in PLSO 2037/2012 Replace before any evidence of deteriors for periods of profession of induction uses CE recommended. In accordance with the regulations in PLSO 20345 yet 133221 Fr. Additional emergency measures It is not necessary to take additional emergency measures. In accordance with the conditional emergency measures. Environmental splage of both the product and its container. For additional information see subsection 7.1.D Volafile arguing compounds: In accordance with the conditional information see subsection 7.1.D Volafile arguing compounds: With regard to Directive 2010/75/EU, this product has the following characteristics: V.O.C. (Supply): 0 % weight V.O.C. density at 20 °C: 0 kg/m² (0 g/L) Average molecular weight: Non-applicable TION 9: PHYSICAL AND CHEMICAL PROPERTIES Information see the product databaset. Appearance: Physical state at 20 °C: Solid Appearance: Calour: Mild Odour threshold: Non-applicable * Vapour pressure at 20 °C: Non-applicable * Product description: Density at 20 °C: Non-applicable *					according to the manufacturer's instruction	
Work clothing Replace before any evidence of deteriors Antisip work shoes Ex Intrisip work shoes Ex EN ISO 20347.2012 Replace before any evidence of deteriors Fr- Additional emergency measures It is not necessary to take additional emergency measures. Environmental exposure controls: In accordance with the community legislation for the protection of the environment if is recommended to avoid environmental spillage of both the product for proteins of monogene avoid environment is policy for proteins of the protection of the environment if is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D Volatile organic compounds: With regulations in Ex ISO 20345 yet 13852-1 With regard to Directive 2010/75/EU, this product has the following characteristics: V.O.C. (supply): V.O.C. (supply): 0 % weight V.O.C. additional environment is physical and chemical properties: For complete information see the product datasheet. Appearance: Physical state at 20 °C: Solid Appearance: Greasy Oclour: Mid Odour: Mid Odour: Non-applicable * Vapour pressure at 20 °C: Solid		n				
Wark clothing Replace before any evidence of deteriors Antisip work shoes Ex Initial power sh	Pictogram	PPE	Labelling	CEN Standard	Remarks	
Anti-lip work shoes EN ISO 20347:201 The projects of prolonged exposure to the regulations in EN ISO 20345 y EN 13832-1 F Additional emergency measures It is not necessary to take additional emergency measures. Environmental exposure controls: It is not necessary to take additional emergency measures. If is not necessary to take additional emergency measures. Control of the product and its container. For additional information see subsection 7.1.0 Valiatie organic compounds: With regard to Directive 2010/75/EU, this product has the following characteristics: V.O.C. (Supply): 0 % weight V.O.C. (Supply): 0 % weight V.O.C. density at 20 °C: 0 g/L) Average carbon number: Non-applicable Average carbon number: Solid Appearance: Physical state at 20 °C: Physical state at 20 °C: Solid Appearance: Greasy Colou: Implicable * Vacitibry: Biown Odour threshold: Non-applicable * Vapour pressure at 20 °C: Non-applicable * Vapour pressure at 20 °C: Non-applicable * Vapour pressure at 20 °C: Non-applicable * Vapour pressure at 20		Work clothing	CATI		Replace before any evidence of deterioration For periods of prolonged exposure to the product for professional/industrial users CE II recommended, in accordance with the regulations in EN ISO 6529:2001, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994	
It is not necessary to toke additional emergency measures. Fryionmental exposure controls: In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D Voltile organic compounts: With regard to Directive 2010/75/EU, this product has the following characteristics: V.O.C. (Supply): 0% weight V.O.C. density at 20°C: 0 & g/m ^a (0 g/L) Average carbon number: Non-applicable Average molecular weight: Non-applicable Average molecular weight: Non-applicable For complete information see the product datasteristics: Physical state at 20°C: Physical state at 20°C: Odour: Odour: Odour: Nid Odour threshold: Non-applicable* N		Anti-slip work shoes		EN ISO 20347:2012	Replace before any evidence of deterioratic For periods of prolonged exposure to the product for professional/industrial users CE III recommended, in accordance with the regulations in EN ISO 20345 y EN 13832-1	
Environmental exposure controls: In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.0 Volatile organic compounds: With regard to Directive 2010/75/EU, this product has the following characteristics: V.O.C. (Supply): 0 % weight V.O.C. (density at 20 °C: 0 kg/m³ (0 g/L) Average carbon number: Non-applicable Average molecular weight: Non-applicable Average molecular weight: Non-applicable For complete information see the product datasheet: Appearance: Physical state at 20 °C: Solid Appearance: Greasy Colour: Mid Odour threshold: Non-applicable * Volotility: Non-applicable * Vapour pressure at 20 °C: Non-applicable * Volotility: Strown Odour: Mid Odour threshold: Non-applicable * Vapour pressure at 20 °C: Non-applicabl	F Additional eme	ergency measures		•		
In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.0 Volatile organic compounds: V.O.C. (Supply): 0% weight V.O.C. density at 20°C: 0 kg/m³ (0 g/L) Average carbon number: Non-applicable Average molecular weight: Non-applicable Average molecular weight: Non-applicable Information on basic physical and chemical properties: For complete information see the product datasheet. Appearance: Physical state at 20 °C: Solid Appearance: Greasy Colour: Greasy Colour: Mild Odour threshold: Non-applicable * Volatility: Boiling point at atmospheric pressure: Non-applicable * Vapour pressure at 50 °C: Solid Non-applicable * Vapour pressure at 50 °C: Non-applicable * Vapour pressure at 50 °C: Solid Non-applicable * Vapour pressure at 50 °C: Solid Non-applicable * Vapour pressure at 50 °C: Solid Non-applicable * Product description: Evaporation rate at 20 °C: Non-applicable * Product description: Density at 20 °C: PS3 - 993 kg/m³ Relative density at 20 °C: Non-applicable *	It is not necesso	ary to take additional em	lergency me	asures.		
In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.0 Volatile organic compounds: V.O.C. (Supply): 0% weight V.O.C. density at 20°C: 0 kg/m³ (0g/L) Average carbon number: Non-applicable Average molecular weight: Non-applicable Average molecular weight: Non-applicable Information on basic physical and chemical properties: For complete information see the product datasheet. Appearance: Physical state at 20 °C: Solid Appearance: Greasy Colour: Greasy Colour: Mild Odour threshold: Non-applicable * Volatility: Boiling point at atmospheric pressure: Non-applicable * Vapour pressure at 20 °C: Solid Non-applicable * Vapour pressure at 20 °C: Solid Provention Glour threshold: Non-applicable * Vapour pressure at 20 °C: Solid Provention Colour Solid Pr	Environmontal ovn	agura controla:				
Information on basic physical and chemical properties: For complete information see the product datasheet. Appearance: Physical state at 20 °C: Solid Appearance: Greasy Colour: Brown Odour: Mild Odour threshold: Non-applicable * Volatility: Volatility: Boiling point at atmospheric pressure: Non-applicable * Vapour pressure at 20 °C: Non-applicable * Vapour pressure at 50 °C: <30000 Pa (300 kPa) Evaporation rate at 20 °C: Non-applicable * Product description: P53 - 993 kg/m³ Relative density at 20 °C: Non-applicable *	Average carbon r	number: Non-applicabl	e			
For complete information see the product datasheet.Appearance:SolidPhysical state at 20 °C:GreasyColour:BrownOdour:MildOdour threshold:Non-applicable *Volatility:Non-applicable *Papour pressure at 20 °C:Non-applicable *Vapour pressure at 50 °C:<30000 Pa (300 kPa)	tion 9: Physical	AND CHEMICAL PRC	PERTIES			
Appearance:SolidPhysical state at 20 °C:SolidAppearance:GreasyColour:BrownOdour:MildOdour:Non-applicable *Odour threshold:Non-applicable *Volatility:Non-applicable *Soling point at atmospheric pressure:Non-applicable *Vapour pressure at 20 °C:Non-applicable *Vapour pressure at 50 °C:<30000 Pa (300 kPa)	Information on bas	sic physical and chemica	al properties:			
Physical state at 20 °C:SolidAppearance:GreasyColour:Image: BrownOdour:MildOdour threshold:Non-applicable *Volatility:Volatility:Boiling point at atmospheric pressure:Non-applicable *Vapour pressure at 20 °C:Non-applicable *Vapour pressure at 50 °C:<30000 Pa (300 kPa)	·	mation see the product of	datasheet.			
Appearance:GreasyColour:ImportOdour:MildOdour threshold:Non-applicable *Odour threshold:Non-applicable *Boiling point at atmospheric pressure:Non-applicable *Vapour pressure at 20 °C:Non-applicable *Vapour pressure at 20 °C:Non-applicable *Fraduct description:Non-applicable *Density at 20 °C:953 - 993 kg/m³Relative density at 20 °C:Non-applicable *						
Colour:BrownOdour:MildOdour threshold:Non-applicable *Volatility:Non-applicable *Boiling point at atmospheric pressure:Non-applicable *Vapour pressure at 20 °C:Non-applicable *Vapour pressure at 50 °C:<30000 Pa (300 kPa)) °C:				
Odour:MildOdour threshold:Non-applicable *Volatility:Non-applicable *Boiling point at atmospheric pressure:Non-applicable *Vapour pressure at 20 °C:Non-applicable *Vapour pressure at 50 °C:<30000 Pa (300 kPa)			_			
Odour threshold:Non-applicable *Volatility:Non-applicable *Boiling point at atmospheric pressure:Non-applicable *Vapour pressure at 20 °C:Non-applicable *Vapour pressure at 50 °C:<30000 Pa (300 kPa)						
Volatility:Boiling point at atmospheric pressure:Non-applicable*Vapour pressure at 20 °C:Non-applicable*Vapour pressure at 50 °C:<30000 Pa (300 kPa)						
Boiling point at atmospheric pressure:Non-applicable *Vapour pressure at 20 °C:Non-applicable *Vapour pressure at 50 °C:<30000 Pa (300 kPa)			NOP	i-abblicable		
Vapour pressure at 20 °C:Non-applicable *Vapour pressure at 50 °C:<300000 Pa (300 kPa)			K 1	energia glata *		
Vapour pressure at 50 °C:<300000 Pa (300 kPa)Evaporation rate at 20 °C:Non-applicable *Product description:Density at 20 °C:953 - 993 kg/m³Relative density at 20 °C:Non-applicable *						
Evaporation rate at 20 °C:Non-applicable *Product description:953 - 993 kg/m³Density at 20 °C:953 - 993 kg/m³Relative density at 20 °C:Non-applicable *						
Product description:Density at 20 °C:953 - 993 kg/m³Relative density at 20 °C:Non-applicable *				· · · ·		
Density at 20 °C:953 - 993 kg/m³Relative density at 20 °C:Non-applicable *			NOr	i-applicable *		
Relative density at 20 °C: Non-applicable *	•	n:	050	002 100 /3		
				-		
Dynamic viscosity at 20 °C: Non-applicable *						
*Not relevant due to the nature of the product, not providing information property of its hazards.						

SECTION 9: PHYSICAL AND CHEMICAL PROPER	RTIFS (continued)
Kinematic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 40 °C:	Non-applicable *
Concentration:	Non-applicable *
pH:	Non-applicable *
Vapour density at 20 °C:	Non-applicable *
Partition coefficient n-octanol/water 20 °C:	Non-applicable *
Solubility in water at 20 °C:	Non-applicable *
Solubility properties:	Insoluble in water
Decomposition temperature:	Non-applicable *
Melting point/freezing point:	Non-applicable *
Explosive properties:	Non-applicable *
Oxidising properties:	Non-applicable *
Flammability:	
Flash Point:	>285 °C
Flammability (solid, gas):	Non-applicable *
Autoignition temperature:	Non-applicable *
Lower flammability limit:	Non-applicable *
Upper flammability limit:	Non-applicable *
Explosive:	
Lower explosive limit:	Non-applicable *
Upper explosive limit:	Non-applicable *
9.2 Other information:	
Surface tension at 20 °C:	Non-applicable *
Refraction index:	Non-applicable *
*Not relevant due to the nature of the product, not provid	ding information property of its haza

*Not relevant due to the nature of the product, not providing information property of its hazard

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

10.5 Incompatible materials:

Acids	Water	Combustive materials	Combustible materials	Others
Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.



SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

LD50 oral > 2000 mg/kg (rat)

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure: A- Ingestion (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met
- Corrosivity/Irritability: Based on available data, the classification criteria are not met B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met Corrosivity/Irritability: Based on available data, the classification criteria are not met
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met
 - Contact with the eyes: Based on available data, the classification criteria are not met
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met
 - Mutagenicity: Based on available data, the classification criteria are not met
- Reproductive toxicity: Based on available data, the classification criteria are not met E- Sensitizing effects:
- - Respiratory: Based on available data, the classification criteria are not met
 - Cutaneous: Based on available data, the classification criteria are not met
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met
 - Skin: Based on available data, the classification criteria are not met
- H- Aspiration hazard:

Based on available data, the classification criteria are not met

Other information:

Non-applicable

Specific toxicology information on the substances:

Not available

Acute Toxicity Estimate (ATE mix):

ATE mix		Ingredient(s) of unknown toxicity
Oral	>2000 mg/kg (Calculation method)	Non-applicable
Dermal	>2000 mg/kg (Calculation method)	Non-applicable
Inhalation	>5 mg/L (4 h) (Calculation method)	Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Not available

12.2 Persistence and degradability:

Not available

12.3 Bioaccumulative potential:



SECTION 12: ECOLOGICAL INFORMATION (continued)

Not available

12.4 Mobility in soil:

- Not available
- 12.5 Results of PBT and vPvB assessment: Product fails to meet PBT/vPvB criteria
- 12.6 Other adverse effects: Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
16 05 09	discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08	Non dangerous

Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC, The Waste Regulations 2011, 2011 No. 988). As under 15 01 (2014/955/EU) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplacespecific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:



SECTION 15: REGULATORY INFORMATION (continued)

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (CDG 2009), SI 2009 No 1348

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment (Amendment) Regulations 2011, 2011 No. 1885

Control of Substances Hazardous to Health Regulations 2002 (as amended) EH40/2005 Workplace exposure limits

The Waste Regulations 2011, 2011 No. 988

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830)

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3):

·Removed substances

Naphthenic acids, zinc salts, basic (84418-50-8)

CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):

· Supplementary information

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Non-applicable

Classification procedure:

Non-applicable

Advice related to training:

Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu

http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5-day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LOg-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -